

Profem plus

NEW

PHYSICAL AND MENTAL WELL-BEING IN MENOPAUSE



Profem plus - the menopause

Menopause is characterized by a **physiological change** in female **hormonal balance**. Menopause can entail several **symptoms, in the short and long term**:

SHORT TERM SYMPTOMS

- Menstrual irregularities
- Hot flushes: 80% of women suffer from these vasomotor symptoms for up to 2 years after the onset of menopause, due to reduced activity of endogenous opioids
- Sweats (even at night)
- Insomnia
- Anxiety and depression
- Asthenia
- Irritability
- Body weight gain

MEDIUM AND LONG TERM SYMPTOMS

- Urogenital disorders
 - » Vaginal dryness
 - » Dyspareunia
 - » Urinary incontinence
- Skin and mucosal atrophy
- Eye dryness
- Obesity
- Osteoporosis
- Cardiovascular disorders
- Atherosclerosis

Profem plus helps keep the delicate physiological balance of women in menopause:



SUPPORT TO WOMEN'S HEALTH AND WELL-BEING IN MENOPAUSE

Naturally lactose-free GMO-free







Profem plus - for the well-being of menopausal women

ESCLUSIVE COMBINATION:

Active ingredients of plant origin:

- Soy (Glycine max L. Merr seed, dry extract)
- Green tea (Camellia sinensis L. Kuntze leaves, dry extract)
- Pueraria (Pueraria lobata (Willd.) Ohwi root, dry extract)
- Griffonia (Griffonia simplicifolia M.Vahl ex DC. Baill seeds, dry extract)
- Vitex (Vitex agnus castus L. fruit, dry extract)
- Red clover (Trifolium pratense L. flowers and leaves, dry extract)
- 7 lactic acid bacteria strains and fibre (FOS)
- Zinc



Nutritional support helping to:

- Reduce menopause symptoms: hot flushes, night sweats, insomnia, mood alteration, irritability, nervousness, increased sense of hunger
- Skin elasticity and mucosal trophism
- Support the immune defenses
- Normal intestinal function
- Maintain normal blood pressure
- Maintain physiological bone health
- Sustain the physiological metabolism of carbohydrates and macronutrients

Profem plus - specific plant ingredients

COMPLETE AND SYNERGISTIC ASSOCIATION OF DIFFERENT STANDARDIZED ISOFLAVONES: 1,2,3,4,5,6,7,8,9



RED CLOVER extract standardized to minimum 8% Isoflavones

This plant contains four types of isoflavones (formononetin, coumestans, daidzein and genistein), which are not normally contained in food. In particular, coumestans are a group of highly bioavailable and active isoflavones characterized by a high affinity for estrogen receptors beta. Moreover, they are useful to support normal skin funcion and to help counteract menopausal disorders.



PUERARIA LOBATA extract standardized to minimum 40% Isoflavones

The most modern use of the **Kudzu root** is related to its **high content of daidzein**, formononetin (methylated form of daidzein), puerarin and coumestans. Kudzu root extract is useful for **regulating blood pressure and cardiovascular function**. It also contributes to normal joint function.



SOY extract standardized to minimum 10% Isoflavones

Several epidemiological studies have shown that soy intake helps reducing hot flushes up to 60%, thanks to its high content in genistein, an isoflavone characterized by a high affinity for estrogen receptors beta. Soy extract contributes also to lipid metabolism.



VITEX extract standardized from fruits (> 0.5% Agnuside) 10,11,12 N E W

A clinical study versus placebo¹² showed that the administration of Vitex in a group of 60 women aged between 45 and 60 years, with an average of 6 hot flushes per day, significantly reduced the daily frequency of hot flushes from the second week of its administration and for the duration of the treatment. 13



GRIFFONIA extract standardized > 20% of L-5-HTP¹³

NEW

The seeds of this plant contain a significant amount of 5-HTP (5-hydroxytryptophan), a direct precursor of serotonin. Griffonia contributes to relaxation, sleep regulation and mental well-being. It is also useful to control the sense of hunger.



GREEN TEA extract standardized to minimum 50% Polyphenols ¹⁴

Green tea extract is rich in polyphenols, anti-oxidants useful for mantaining body weight. Green tea also contributes to the drainage of body fluids and it is a useful tonic in case of physical and mental fatigue.

Profem plus - three cores for a synegistic action


Bifidobacterium lactis Bb1 (DSM 17850)¹⁵ rich in highly bioavailable Zinc

NEW

Tindalized bacterial strain, **naturally rich in zinc**. Once ingested, it releases in the intestine a highly bioavailable form of Zinc. This is due to the unique characteristic of this kind of Zinc to be absorbed by intestinal cells, mainly through the basolateral path (graph A), which allows a better transport and internalization (graph B), compared to **other forms of zinc**.

The integration with Profem plus promotes optimal Zinc intake and absorption, useful for:

- the proper functioning of the immune system
- contributing to the normal metabolism of fatty acids, carbohydrates and macronutrients
- maintaining healthy bones and skin
- protecting cells from oxidative stress



Symbiotic association

7 "GASTROPROTECTED" LACTIC ACID BACTERIA STRAINS 16

Each of the 7 lactic acid bacteria strains (Bifidobacteria and Lactobacilli) are in a "gastroprotected", "microencapsulated" form with a colonization capability that is 5 times higher than non micro-encapsulated probiotics.

FRUCTO-OLIGOSACCHARIDES (FOS) WITH PREBIOTIC ACTIVITY 17

Derived from sugar beet, they support and stimulate the development in the intestinal microflora, especially Bifidobacteria. FOS have a useful role in the carbohydrate and fat metabolism and improve the intestinal mucosa.



Plus of Profem plus

Unique action with three "cores" for a synergistic action

Three plant sources of selected Isoflavones - Soy, Pueraria, Red Clover - with Vitex for a more balanced action

Griffonia for relaxation, sleep regulation and mental well-being

Highly **bioavailable Zinc**, supporting the immune system

Enhanced symbiotic action to promote intestinal function

Association of 7 lactic acid bacteria strains and fibre FOS **(fructo-oligosaccharides)**

Sweetened with steviol glycosides (Stevia)



Profem plus - suggested combinations

Colostrono

Profem plus + Colostrononi

For a healthy intestinal flora in menopause.

Pack: 24 x 1.8 g sachets of orodispersible granules Net weight 43.2 g

with sweeteners

Profem plus + Vitformula

For vitamin deficiencies in menopause.

Pack: 32 x 2.5 g sachets of orodispersible granules Net weight 80 g

with sweeteners



Profem plus + Ferroguna

For iron deficiency in menopause.

Pack: 28 x 1.7 g sachets of orodispersible granules Net weight 47.6 g

with sweeteners

Profem plus + Gunabasic

For acid-base and electrolytic balance in menopause.

Pack: 15 x 7 g sachets Net weight 105 g

with sweetener



Profem plus + Gunaminoformula

For the protein needs in menopause.

Pack: 24 x 6.5 g sachets - Net weight 156 g (with sweetener) 50 x 1.01 g tablets - Net weight 50.5 g



Profem plus - Ingredients

Nutrition facts

	per 100 g		per sachet		%NRV* per sachet	
Energy	1087 260	kJ kcal	52.2 12.5	kJ kcal		
Fat of which saturates	0.4 0.2	g g	0.02	g g		
Carbohydrate of which sugars	48.4 29.7	g g	2.3 1.4	g g		
Fibre	23.9	g	1.1	g		
Protein	4.1	g	0.2	g		
Salt	0.02	g	0.001	g		
• Bifidobacterium lactis Bb1	1.6	g	75	mg	Naturally rich	in
• Bifidobacterium lactis BS01	> 20	В	> 1.0	В		
• Lactobacillus rhamnosus LR06	> 5	В	> 0.25	В		
• Lactobacillus paracasei LPC00	> 5	В	> 0.25	В		
• Lactobacillus acidophilus LAO2	> 5	В	> 0.25	В		
• Lactobacillus plantarum LPO2	> 5	В	> 0.25	В		
• Lactobacillus salivarius LS03	> 0.4	В	> 0.02	В		
Fructo-oligo-saccharides FOS	21	g	1	g		
Soy dried exctract of which isoflavones	7.5 0.8	g g	360 37.3	mg mg		
Green tea dried extract	3.1	g	150	mg		
Pueraria dried extract of which isoflavones	2.1 0.87	g g	100 41.8	mg mg		
Griffonia dried extract	1	g	50	mg		
Vitex dried extract	0.8	g	40	mg		
Zinc	0.6	g	30	mg	40	
Red clover dried extract of which isoflavones	0.1 0.01	g g	5 0.45	mg mg		

*NRV: Nutrient Reference Values

Packaging

20 sachets of 4.8 g. Net weight 96 g.

Ingredients

Sweetener: sorbitol; Fructo-oligosaccharides (FOS); fructose; Soy (Glycine max L. Merr.) seeds dry extract - min. 10% isoflavones: baked apple aroma: Green tea (Camellia sinensis L. Kuntze) leaves dry extract - min. 50% polyphenols; Pueraria lobata (Pueraria lobata Willd, Ohwi) root dry extract - min. 40% isoflavones; bulking agent: maltodextrin; Bifidobacterium lactis Bb1 (DSM 17850) tyndallize rich in zinc; acidity regulator: citric acid: Griffonia (Griffonia simplicifolia M. Vahl ex DC. Baill) seed dry extract (> 20% L-5-HTP); zinc gluconate; Vitex (Vitex agnus castus L.) fruit dry extract (> 0.6% Aucubin, > 0.5% Agnuside); Microencapsulated lactic acid bacteria strains: Bifidobacterium lactis BSO1 (LMG P-21384), Lactobacillus acidophilus LAO2 (DSM 21717), Lactobacillus paracasei LPC00 (LMG P-21380). Lactobacillus rhamnosus LRO6 (DSM 21981). Lactobacillus plantarum LPO2 (LMG P-21020), Lactobacillus salivarius LSO3 (DSM 22776); sweetener: steviol alycosides; anti-caking agent: silicon dioxide; Red Clover (Trifolium pratense L.) leaves and flowers dry extract - min. 8% isoflavones.

-with sweeteners-

How to use

Take the contents of one sachet preferably 30 minutes before meals. To help nocturnal sleep, we recommend taking Profem Plus 30 minutes before the evening meal. Dissolve the sachet contents in half a glass of water at room temperature, mix thoroughly and drink immediately.

We recommend taking 1 sachet daily for 3 months.

Warnings

Store the product in a cool and dry place and protect from light and heat sources. The expiry date refers to a product correctly stored in its original and undamaged packaging. Do not exceed the stated recommended daily dose. Excessive consumption may produce laxative effects. Keep out of the reach of young children. Food supplements should not be used as a substitute for a varied diet and a healthy lifestyle.

The information herein contained concern the ingredients of Pro**fem** Plus and should not be interpreted as medical advice, nor can they replace any medical prescription. Food supplements are not intended as means for treating, preventing, diagnosing or mitigating any disease or abnormal condition.

References

- Mathey J. et Al. Modulation of soy isoflavones bioavailability and subsequent effects on bone health in ovariectomized rats: the case for equal. Osteoporos Int. 2007 May; 18(5):671-9.16.
- 2. Aso T. et Al. Equal Improves Menopausal Symptoms in Japanese Women. J Nutr. 2010 May 19.
- 3. Buck K. et Al. Meta-analyses of lignans and enterolignans in relation to breast cancer risk. Am J Clin Nutr. 2010 May 12.
- 4. Ha H. et Al. Formononetin prevents ovariectomy-induced bone loss in rats. Arch Pharm Res. 2010 Apr;33(4):625-32.
- Chang Y. et Al. Neuroprotective mechanisms of puerarin in middle cerebral artery occlusion-induced brain infarction in rats. J Biomed Sci. 2009 Jan 19;16:9.
- 6. Bebrevska L. et Al. In vivo antioxidative activity of a quantified Pueraria lobata root extract. J Ethnopharmacol. 2010 Jan 8;127(1):112-7.
- 7. Chiechi L.M. Dietary phytoestrogens in the prevention of long-term postmenopausal diseases. Int J Gynaecol Obstet. 1999 Oct;67(1):39-40.
- 8. Hooper L. et Al. Effects of isoflavones on breast density in pre- and post-menopausal women: a systematic review and meta-analysis of randomized controlled trials. Hum Reprod Update. 2010 May 28.
- Chedraui P. et Al. The effect of soy-derived isoflavones over hot flushes, menopausal symptoms and mood in climacteric women with increased body mass index. Gynecol Endocrinol. 2010 Jun 8.
- 10. Lucks B.C., Sørensen J., Veal L. Vitex agnus-castus essential oil and menopausal balance: a self-care survey. Complement Ther Nurs Midwifery. 2002 Aug;8(3):148-54.
- 11. van Die M.D., Burger H.G., Teede H.J., Bone K.M. Vitex agnus-castus (Chaste-Tree/Berry) in the treatment of menopause-related complaints. J Altern Complement Med. 2009 Aug; 15(8):853-62.
- 12. Abbaspoor Z., Hajikhani N.A., P Afshari P. Effect of Vitex agnus-castus on early menopausal early symptoms in postmenopausal women: a randomized double-blind, placebo-controlled study. Brit J Med & Med Res 2011:1(3): 132-140.
- 13. S.S. Hendler et Al. "PDR-Integratori nutrizionali" CEC Editore 2010:345-348.
- 14. Pecorari M. et Al. Biomarkers of antioxidant status following ingestion of green teas at different polyphenol concentrations and antioxidant capacity in human volunteers. Mol Nutr Food Res. 2010 Jun 2.
- Mogna L., Nicola S., Pane M., Lorenzini P., Strozzi G., Mogna G. Selenium and Zinc Internalized by Lactobacillus buchneri Lb26 (DSM 16341) and Bifidobacterium lactis Bb1 (DSM 17850). Improved Bioavailability Using a New Biological Approach. J Clin Gastroenterol; Volume 46, Supp. 1 October 2012.
- Del Piano M. et Al. Evaluation of the intestinal colonization by microencapsulated probiotic bacteria in comparision with the same uncoated strains.
 J Clin Gastroenterol 2010 Sept; 44 Suppl 1:S42-6. Studio condotto in doppio cieco.
- 17. Prebiotici e Fibre alimentari. Ed Gruppo Mofin Alce.



GUNA® S.p.a. Via Palmanova, 71 - 20132 Milan - Italy export@guna.it